# EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|---|---|---|---|---|---|---|
| L1 | 24519 | (707/2 707/3 707/4 707/5 707/10 707/100 707/101 707/102).ccls. | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:00 |
| L2 | 17888 | (plural$5 multiple federat$6) with provider$1 | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:01 |
| L3 | 15882 | (transmit$7 pass$4 receiving displaying) near5 provider$1 | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:02 |
| L4 | 1444 | parse adj1 tree$1 | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:02 |
| L5 | 548 | (single one) with (parse adj1 tree) | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:03 |
| L6 | 4833 | defin$6 near3 query | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:04 |
| L7 | 0 | l1 and l2 and l3 and l5 and l6 | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:04 |
| L8 | 0 | l1 and l2 and l3 and l5 | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:04 |
| L9 | 1 | l2 and l3 and l5 | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:07 |
| L10 | 1848 | (707/103R 707/103X 707/103Y 707/103Z).ccls. | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:07 |
| L11 | 25385 | l10 l1 | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:07 |
| L12 | 39840 | (plural$6 multiple federat$6) near5 database$1 | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:09 |
| L13 | 3 | l4 same l12 | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:11 |
| L14 | 762 | parsing near3 query | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:11 |
| L15 | 69 | l14 and l4 | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:12 |
| L16 | 56 | l15 and l11 | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:12 |
| L17 | 33 | l16 and @ad<"20001121" | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:34 |
| L18 | 137 | ((parse adj1 tree) parser).ti. | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:35 |
| L19 | 14 | l18 and (l1 l10) | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:36 |
| L20 | 6 | l19 and @ad<"20001121" | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:43 |
| L21 | 118 | federat$6.ti. | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:43 |

# EAST Search History

| L22 | 1 | I1 and (I2 I3) and I21 | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:45 |
| L23 | 260 | federat$6 same search$3 | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:45 |
| L24 | 24 | I23 and (I2 I3) and I1 | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:46 |
| L25 | 2 | I24 and @ad<"20001121" | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:47 |
| L26 | 112 | (federat$6 with (search$3 database system)).ab. | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:48 |
| L27 | 2 | I26 and (I1 I10) and (I2 I3) | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:48 |
| L28 | 36 | I26 and (I1 I10) | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:48 |
| L29 | 13 | I28 and @ad<"20001121" | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:53 |
| L30 | 84975 | pars$4 | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:53 |
| L31 | 13 | I29 and I30 | US-PGPUB; USPAT | OR | OFF | 2007/01/12 10:53 |

**IEEE** *Xplore* ᴵᴱ
RELEASE 2.1

Welcome United States Patent and Trademark Office

☐ Search Session History                    BROWSE            SEARCH            IEEE XPLORE GUIDE

Fri, 12 Jan 2007, 11:30:20 AM EST

Edit an existing query or compose a
new query in the Search Query
Display.

**Search Query Display**

Select a search number (#) to:

- Add a query to the Search Query
  Display
- Combine search queries using
  AND, OR, or NOT
- Delete a search
- Run a search

**Recent Search Queries**

#1   ((( parse<in>ti ) <and> ( tree<in>ti ) )) <and> (pyr >= 1950 <and> pyr <= 2000)

#2   ((( federated<in>ti ) <and> ( parser<in>ab ) )<and> ( query<in>ab ) ) <and> (pyr
      >= 1950 <and> pyr <= 2000)

#3   (( providers<in>ti ) <or> ( distributed<in>ti ) )<and> ( parser<in>ab )

#4   ((( java<in>ab ) <and> ( parse<in>ab ) )<and> ( tree<in>ab ) ) <and> (pyr >=
      1950 <and> pyr <= 2000)

#5   ((( java<in>ab ) <and> ( parse<in>ab ) )<and> ( tree<in>ab ) ) <and> (pyr >=
      1950 <and> pyr <= 2000)

#6   (( providers<in>ab ) <and> ( distributed<in>ab ) )<and> ( query<in>ab )

#7   ((( providers<in>ab ) <and> ( distributed<in>ab ) )<and> ( query<in>ab ) ) <and>
      (pyr >= 1950 <and> pyr <= 2000)

#8   ((( fields<in>ab ) <and> ( query<in>ab ) )<and> ( feserated<in>ab ) ) <and> (pyr
      >= 1950 <and> pyr <= 2000)